

Test Report

Report No.: CTT2309030924EN

Page 1 of 13

Applicant: MACMA Werbeartikel oHG

Address: Thomas-Mann-Str.60 DE 90471 Nuernberg, Germany

Sample Received Date: Jul. 28, 2023

Completed Date: Aug. 29, 2023

Report Date: Sep. 12, 2023

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: Stainless Steel & PP Mug

Model No.: 83769

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s): Please refer to next page(s).

Signed for and on Behalf of CTT:



Frank

Technical Manager



Verification Report

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Zhejiang Consumer Testing
Technology Co., Ltd.

1st-3rd Floor, Building 5, Block B, Innovation Entrepreneurship Street, No. E21, Xinke Road, Choujiang District, Yiwu,
Jinhua, Zhejiang, Pilot Free Trade Zone, China
Tel: 86-0579-89986543 Fax: 86-0579-89986547 Hot Line: 400 6789 666
Website: <http://www.cttlab.com> Email: enquiry@cttlab.com



Test Report


Report No.: CTT2309030924EN

Page 2 of 13

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	COMMISSION REGULATION (EU) 2020/1245 of 2 September 2020 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food. - Primary aromatic amines	PASS
2	Client's requirements - Bisphenol A (BPA)	PASS
3	German food, Articles of Daily Use and Feed Code (LFGB), section 30&31, and BfR Recommendations - Sensory requirements	PASS
4	German food, Articles of Daily Use and Feed Code (LFGB), section 30&31, and BfR Recommendations on silicone used in food contact materials and articles - Extractives 10% ethanol - Extractives 3%acetic acid - Extractives Distilled water - Peroxides - Volatile Organic Matter(VOM)	PASS
5	German food, Articles of Daily Use and Feed Code (LFGB), section 30&31, and BfR Recommendations. - Total Platinum	PASS
6	COMMISSION REGULATION (EU) 2020/1245 of 2 September 2020 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food. - Migration of Heavy metal - Overall Migration	PASS

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Report

Report No.: CTT2309030924EN

Page 3 of 13


Test Result(s):

Primary aromatic amines - COMMISSION REGULATION (EU) 2020/ 1245 of 2 September 2020 amending and correcting Regulation (EU) No 10/ 2011 on plastic materials and articles intended to come into contact with food.

Method: BS EN 13130-1:2004, analyzed by Ultra High Performance Liquid Chromatography-Mass Spectrometry (UPLC-MS/MS) .

No.	Substances Name	CAS No.	Limit (mg/kg)	Results (mg/kg)		
				1*		
				1st	2nd	3rd
1	biphenyl-4-ylamine/ 4-aminodiphenyl/ xenylamine	92-67-1	0.002	<0.002	<0.002	<0.002
2	benzidine	92-87-5	0.002	<0.002	<0.002	<0.002
3	4-chloro-o-toluidine	95-69-2	0.002	<0.002	<0.002	<0.002
4	2-naphthylamine	91-59-8	0.002	<0.002	<0.002	<0.002
5	o-aminoazotoluene/ 4-o-tolylazo-o-toluidine/ 4-amino-2', 3-dimethylazobenzene	97-56-3	0.002	<0.002	<0.002	<0.002
6	2-amino-4-nitrotoluene/ 5-nitro-o-toluidine	99-55-8	0.002	<0.002	<0.002	<0.002
7	4-chloroaniline	106-47-8	0.002	<0.002	<0.002	<0.002
8	4-methoxy-m-phenylenediamine	615-05-4	0.002	<0.002	<0.002	<0.002
9	4,4'-methylenedianiline/4,4'-diam inodiphenylmethane	101-77-9	0.002	<0.002	<0.002	<0.002
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenedi amine	91-94-1	0.002	<0.002	<0.002	<0.002
11	3,3'-dimethoxybenzidine/ o-dianisidine	119-90-4	0.002	<0.002	<0.002	<0.002
12	3,3'-dimethylbenzidine/ 4,4'-bi-o-toluidine	119-93-7	0.002	<0.002	<0.002	<0.002
13	4,4'-methylenedi-o-toluidine	838-88-0	0.002	<0.002	<0.002	<0.002
14	6-methoxy-m-toluidine/ p-cresidine	120-71-8	0.002	<0.002	<0.002	<0.002
15	4,4'-methylene-bis-(2-chloroanilin e)/ 2,2'-dichloro-4,4'-methylene-diani	101-14-4	0.002	<0.002	<0.002	<0.002

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and can not be as domestic social impartiality proof data.



Test Report

Report No.: CTT2309030924EN

Page 4 of 13


	line					
16	4,4'-oxydianiline	101-80-4	0.002	<0.002	<0.002	<0.002
17	4,4'-thiodianiline	139-65-1	0.002	<0.002	<0.002	<0.002
18	o-toluidine/ 2-aminotoluene	95-53-4	0.002	<0.002	<0.002	<0.002
19	4-methyl-m-phenylenediamine/ 2,4-toluylendiamine	95-80-7	0.002	<0.002	<0.002	<0.002
20	2,4,5-trimethylaniline	137-17-7	0.002	<0.002	<0.002	<0.002
21	o-anisidine / 2-methoxyaniline	90-04-0	0.002	<0.002	<0.002	<0.002
22	4-aminoazobenzene	60-09-3	0.002	<0.002	<0.002	<0.002
23	m-Phenylenediamine	108-45-2	0.002	<0.002	<0.002	<0.002
24	Aniline	62-53-3	0.01	<0.01	<0.01	<0.01
25	2,4-Dimethylaniline/2,4-xylidine	95-68-1				
26	2,6-Dimethylaniline/2,6-xylidine	87-62-7				
27	p-Phenylenediamine/ 1,4-phenylenediamine	106-50-3				
28	2,6-Toluenediamine	823-40-5				
29	1,5-Diaminenaphthalane	2243-62-1				
Conclusion				PASS		

- NOTE:**
1. Test Condition: 3% Acetic acid(w/v),70°C for 2 hours.
 2. mg/kg = milligram per kilogram (ppm).
 3. The material or article is intended to come into repeated contact with foods, the migration test(s) shall be carried out three times. The results of subsequent migrations must not exceed the previous ones and the determination of compliance is based on the third migration result.
 4. "*" = The test sample(s) is received on Aug. 24, 2023.

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Zhejiang Consumer Testing
Technology Co., Ltd.

1st-3rd Floor, Building 5, Block B, Innovation Entrepreneurship Street, No. E21, Xinke Road, Choujiang District, Yiwu,
Jin hua, Zhejiang, Pilot Free Trade Zone, China
Tel:86-0579-89986543 Fax:86-0579-89986547 Hot Line:400 6789 666
Website:<http://www.cttlab.com> Email:enquiry@cttlab.com



Test Report

Report No.: CTT2309030924EN

Page 5 of 13

Test Result(s):

Bisphenol A (BPA) - Client's requirements

Method: EPA 3550C:2007, analyzed by Ultra High Performance Liquid Chromatography-Mass Spectrometry (UPLC-MS/MS).

Substances	Bisphenol A (BPA)	Conclusion
CAS No.	80-05-7	
Reporting Limit (mg/kg)	0.1	
Limit (mg/kg)	0.1	
Material No.	Result (mg/kg)	
2+3	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than Reporting Limit).
3. "+" = The test result is obtained from composite testing on materials linked with "+" mark, it is possible that individual test result can be higher if materials are tested separately. This had not been taken in account in the conclusion of this report.

Test Result(s):

Sensory requirements - German food, Articles of Daily Use and Feed Code (LFGB), section 30&31, and BfR Recommendations

Method: DIN 10955:2004

Material No.	Test Item	Requirement	Result	Conclusion
5	Sensorial examination odour	3	1	PASS
5	Sensorial examination taste	3	0	PASS


NOTE:

1. Scale evaluation:
 - 0: No perceptible odour
 - 1: Odour just perceptible (still difficult to define)
 - 2: Moderate odour
 - 3: Moderately strong odour
 - 4: Strong odour

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Zhejiang Consumer Testing
Technology Co., Ltd.

1st-3rd Floor, Building 5, Block B, Innovation Entrepreneurship Street, No. E21, Xinke Road, Choujiang District, Yiwu, Jinhua, Zhejiang, Pilot Free Trade Zone, China
Tel: 86-0579-89986543 Fax: 86-0579-89986547 Hot Line: 400 6789 666
Website: <http://www.cttlab.com> Email: enquiry@cttlab.com



Test Report

Report No.: CTT2309030924EN

Page 6 of 13

Test Result(s):

Extractives 10% ethanol - German food, Articles of Daily Use and Feed Code (LFGB), section 30&31, and BfR Recommendations.

Method: With reference to 61st Communication on testing of plastics in Bundesgesundheitsbl 46(2003) 362.

Material No.	Test Condition	Test Item	Reporting Limit (%)	Limit (%)	Result (%)	Conclusion
4	10% Ethanol(v/v), Refluxing ,5h	10% Ethanol(v/v)	0.10	0.50	N.D.	PASS

NOTE:

1. % = percentage.
2. N.D. = Not Detected (Less than Reporting Limit).

Test Result(s):

Extractives 3% acetic acid - German food, Articles of Daily Use and Feed Code (LFGB), section 30&31, and BfR Recommendations.

Method: With reference to 61st Communication on testing of plastics in Bundesgesundheitsbl 46(2003) 362.

Material No.	Test Condition	Test Item	Reporting Limit (%)	Limit (%)	Result (%)	Conclusion
4	3% Acetic acid(w/v), Refluxing ,5h	3% Acetic acid(w/v)	0.10	0.50	N.D.	PASS

NOTE:

1. % = percentage.
2. N.D. = Not Detected (Less than Reporting Limit).

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Report

Report No.: CTT2309030924EN

Page 7 of 13

Test Result(s):

Volatile Organic Matter(VOM) - German food, Articles of Daily Use and Feed Code (LFGB), section 30&31, and BfR Recommendations.

Method: Bundesgesundheitsbl 46 (2003) 362

Material No.	Test Item	Reporting Limit (%)	Limit (%)	Result (%)	Conclusion
4	Volatile Organic Matter(VOM)	0.10	0.50	0.42	PASS

NOTE:

1. % = percentage.
2. N.D. = Not Detected (Less than Reporting Limit).

Test Result(s):

Extractives Distilled water - German food, Articles of Daily Use and Feed Code (LFGB), section 30&31, and BfR Recommendations.

Method: With reference to 61st Communication on testing of plastics in Bundesgesundheitsbl 46(2003) 362.

Material No.	Test Condition	Test Item	Reporting Limit (%)	Limit (%)	Result (%)	Conclusion
4	Distilled water , Refluxing,5h	Distilled water	0.10	0.50	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than Reporting Limit).


Test Result(s):

Peroxides - German food, Articles of Daily Use and Feed Code (LFGB), section 30&31, and BfR Recommendations.

Method: Bundesgesundheitsblatt 40 (1997) 412

Material No.	Test Item	Limit	Result	Conclusion
4	Peroxide residues	Absent	Absent	PASS

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Report

Report No.: CTT2309030924EN

Page 8 of 13

Test Result(s):

Total Platinum - German food, Articles of Daily Use and Feed Code (LFGB), section 30&31, and BfR Recommendations.

Method: Acid digestion method, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Substances	Total Platinum	Conclusion
CAS No.	7440-06-4	
Reporting Limit (mg/kg)	10	
Limit (mg/kg)	50	
Material No.	Result (mg/kg)	
4	N.D.	PASS

NOTE: 1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than Reporting Limit).


Test Result(s):

Overall Migration - COMMISSION REGULATION (EU) 2020/1245 of 2 September 2020 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food.

Method: EN 1186-1:2002&EN 1186-3:2022

Material No.	Test Condition	Test Item	Reporting Limit (mg/dm ²)	Limit (mg/dm ²)	Result (mg/dm ²)	Conclusion
1	20% Ethanol(v/v), 70°C, 2h	Overall Migration (1st)	3	--	N.D.	PASS
1	3% Acetic acid(w/v), 70°C, 2h	Overall Migration (1st)	3	--	N.D.	PASS
1	20% Ethanol(v/v), 70°C, 2h	Overall Migration (2nd)	3	--	N.D.	PASS
1	3% Acetic acid(w/v), 70°C, 2h	Overall Migration (2nd)	3	--	N.D.	PASS
1	20% Ethanol(v/v), 70°C, 2h	Overall Migration (3rd)	3	10	N.D.	PASS

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and can not be as domestic social impartiality proof data.



Test Report

Report No.: CTT2309030924EN


Page 9 of 13

1	3% Acetic acid(w/v), 70°C, 2h	Overall Migration (3rd)	3	10	N.D.	PASS
2	20% Ethanol(v/v), 70°C, 2h	Overall Migration (1st)	3	--	N.D.	PASS
2	3% Acetic acid(w/v), 70°C, 2h	Overall Migration (1st)	3	--	N.D.	PASS
2	20% Ethanol(v/v), 70°C, 2h	Overall Migration (2nd)	3	--	N.D.	PASS
2	3% Acetic acid(w/v), 70°C, 2h	Overall Migration (2nd)	3	--	N.D.	PASS
2	20% Ethanol(v/v), 70°C, 2h	Overall Migration (3rd)	3	10	N.D.	PASS
2	3% Acetic acid(w/v), 70°C, 2h	Overall Migration (3rd)	3	10	N.D.	PASS

NOTE:

1. mg/dm²= milligram per square decimeter.
2. N.D. = Not Detected (Less than Reporting Limit).
3. The material or article is intended to come into repeated contact with foods, the migration test(s) shall be carried out three times. The results of subsequent migrations must not exceed the previous ones and the determination of compliance is based on the third migration result.

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Report

Report No.: CTT2309030924EN

Page 10 of 13

Test Result(s):

Migration of Heavy metal - COMMISSION REGULATION (EU) 2020/ 1245 of 2 September 2020 amending and correcting Regulation (EU) No 10/ 2011 on plastic materials and articles intended to come into contact with food.


Method: BS EN 13130-1:2004

No.	Elements	Limit (mg/ kg)	Results (mg/ kg)		
			1		
			1st	2nd	3rd
1	Barium(Ba)	1	<0.1	<0.1	<0.1
2	Cobalt (Co)	0.05	<0.05	<0.05	<0.05
3	Copper (Cu)	5	<0.5	<0.5	<0.5
4	Iron (Fe)	48	<1	<1	<1
5	Lithium (Li)	0.6	<0.1	<0.1	<0.1
6	Manganese (Mn)	0.6	<0.05	<0.05	<0.05
7	Zinc (Zn)	5	<1	<1	<1
8	Aluminium (Al)	1	<0.1	<0.1	<0.1
9	Nickel(Ni)	0.02	<0.01	<0.01	<0.01
10	Lead(Pb)	0.01	<0.01	<0.01	<0.01
11	Cadmium(Cd)	0.002	<0.002	<0.002	<0.002
12	Arsenic(As)	0.01	<0.01	<0.01	<0.01
13	Mercury(Hg)	0.01	<0.01	<0.01	<0.01
14	Chromium (Cr)	0.01	<0.01	<0.01	<0.01
15	Antimony(Sb)	0.04	<0.02	<0.02	<0.02
16	Europium(Eu)	0.05	<0.01	<0.01	<0.01
17	Gadolinium(Gd)				
18	Lanthanum(La)				
19	Terbium(Tb)				
Conclusion			PASS		

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Zhejiang Consumer Testing
Technology Co., Ltd.

1st-3rd Floor, Building 5, Block B, Innovation Entrepreneurship Street, No. E21, Xinke Road, Choujiang District, Yiwu,
Jinhua, Zhejiang, Pilot Free Trade Zone, China
Tel: 86-0579-89986543 Fax: 86-0579-89986547 Hot Line: 400 6789 666
Website: <http://www.cttlab.com> Email: enquiry@cttlab.com



Test Report

Report No.: CTT2309030924EN

Page 11 of 13

No.	Elements	Limit (mg/kg)	Results (mg/kg)		
			2		
			1st	2nd	3rd
1	Barium(Ba)	1	<0.1	<0.1	<0.1
2	Cobalt (Co)	0.05	<0.05	<0.05	<0.05
3	Copper (Cu)	5	<0.5	<0.5	<0.5
4	Iron (Fe)	48	<1	<1	<1
5	Lithium (Li)	0.6	<0.1	<0.1	<0.1
6	Manganese (Mn)	0.6	<0.05	<0.05	<0.05
7	Zinc (Zn)	5	<1	<1	<1
8	Aluminium (Al)	1	<0.1	<0.1	<0.1
9	Nickel(Ni)	0.02	<0.01	<0.01	<0.01
10	Lead(Pb)	0.01	<0.01	<0.01	<0.01
11	Cadmium(Cd)	0.002	<0.002	<0.002	<0.002
12	Arsenic(As)	0.01	<0.01	<0.01	<0.01
13	Mercury(Hg)	0.01	<0.01	<0.01	<0.01
14	Chromium (Cr)	0.01	<0.01	<0.01	<0.01
15	Antimony(Sb)	0.04	<0.02	<0.02	<0.02
16	Europium(Eu)	0.05	<0.01	<0.01	<0.01
17	Gadolinium(Gd)				
18	Lanthanum(La)				
19	Terbium(Tb)				
Conclusion			PASS		

Note:


1. Test Condition: 3% Acetic acid(w/v),70℃ for 2 hours.
2. mg/kg = milligrams of the constituents released per kilogram of foodstuff.
3. The results of the three migration tests should show a decreasing trend, and the results of the third test should be used to determine the compliance.

Note: All results in this report quoted from CTT2307032537ENR1 according to the client's requirements.

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Zhejiang Consumer Testing
Technology Co., Ltd.

1st-3rd Floor, Building 5, Block B, Innovation Entrepreneurship Street, No. E21, Xinke Road, Choujiang District, Yiwu,
Jinhua, Zhejiang, Pilot Free Trade Zone, China
Tel:86-0579-89986543 Fax:86-0579-89986547 Hot Line:400 6789 666
Website:<http://www.cttlab.com> Email:enquiry@cttlab.com



Test Report

Report No.: CTT2309030924EN

Page 12 of 13

Test Material List

Material No.	Sample Description	Location
1	Black plastic	Mug liner (silvery)
2	Black plastic	Lid inside
3	Black plastic	Mug liner (red)
4	White translucence silicone	Seal ring
5	Cup	Mug individual (silvery)

Photo of Sample:



This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Zhejiang Consumer Testing
Technology Co., Ltd.

1st-3rd Floor, Building 5, Block B, Innovation Entrepreneurship Street, No. E21, Xinke Road, Choujiang District, Yiwu,
Jinhua, Zhejiang, Pilot Free Trade Zone, China
Tel: 86-0579-89986543 Fax: 86-0579-89986547 Hot Line: 400 6789 666
Website: <http://www.cttlab.com> Email: enquiry@cttlab.com



Test Report

Report No.: CTT2309030924EN

Page 13 of 13



End of Report

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Zhejiang Consumer Testing
Technology Co., Ltd.

1st-3rd Floor, Building 5, Block B, Innovation Entrepreneurship Street, No. E21, Xinke Road, Choujiang District, Yiwu,
Jinhua, Zhejiang, Pilot Free Trade Zone, China
Tel: 86-0579-89986543 Fax: 86-0579-89986547 Hot Line: 400 6789 666
Website: <http://www.cttlab.com> Email: enquiry@cttlab.com

